ELSEVIER

International Journal of Mass Spectrometry 227 (2003) 617–618

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 227

Amunugama, R., 1, 339
Andersen, L.H., 273
Anderson, J.D., 63
Anderson, S.E., 205
Angelova, G., 273
Armentrout, P.B., 47, 289
Arnold, S.T., 413
Asfandiarov, N.L., 259, 281
Audier, H.E., 373, 381

Baker, E.S., 205
Beauchamp, J.L., 147
Blagojevic, V., 161
Bluhme, H., 273
Bohme, D.K., 161, 563
Bouchonnet, S., 175
Bouchoux, G., 479
Bowers, M.T., 205
Burgers, P.C., 453
Burkell, J.L., 497

Casares, A., 217
Chappell, A.M., 111
Check, C.E., 361
Choe, J.C., 21
Corral, I., 401

Deakyne, C.A., 555, 601
Dearden, D.V., 63
Denhez, J.P., 381
Despeyroux, D., 223
Dixon, D.A., 421
Djazi, F.V., 479

Estapé, E.S., 247

Fal'ko, V.S., 259, 281
Fee, D.P., 205
Feller, D., 421
Fossey, J., 373, 381
Francisco, J.S., 421
Fridgen, T.D., 497
Fujita, K., 391

Gaillard, F., 479
Geller, O., 77
Gidden, J., 205
Gilbert, T.M., 361

Hansen, K., 87
Hase, W.L., 315
Hayes, L.A., 111
Herlert, A., 87
Heydorn, L.N., 453
Hiizumi, K., 391
Hiraoka, K., 391
Ho, Y.-P., 97
Hoppilliard, Y., 439

Iino, T., 391
Ishida, M., 391

Jacquet, J.P., 381
Jarvis, M.J.Y., 161
Jeanville, P.M., 247
Jellen, E.E., 111
Julian, R.R., 147

Kemper, P.R., 205
Kim, M.S., 21
Kish, M.M., 191, 509
Konn, D.O., 223
Koyanagi, G.K., 161, 563
Krouse, I.H., 303

Lardin, H.A., 303
Le Caër, S., 587
Le Garrec, J.L., 273
Li, H.-P., 97
Li, L., 555
Liebman, J.F., 555
Lifshitz, C., 77
Liyanage, R., 47
Lobring, K.C., 361
Lu, L.-C., 97
Lukin, V.G., 259, 281

Maître, P., 587
Mayer, P.M., 471
McMahon, T.B., 497
Meot-Ner (Mautner), M., 525
Mestdagh, H., 587
Miller, T.M., 413
Mitchell, J.B.A., 273
Mó, O., 401
Morton, T.H., 175
Mourgues, P., 373, 381
Murrell, J., 223

Nakagawa, F., 391

Ochran, R.A., 471
O'Hair, R.A.J., 47
Ohanessian, G., 439, 509
Operti, L., 235

Paulsen, E.S., 63
Petrie, S., 33
Pisterzi, L.F., 161
Pshenichnyuk, S.A., 259, 281

Rabezzana, R., 235
Rebrion-Rowe, C., 273
Riveros, J.M., 135, 315
Rodgers, M.T., 1, 339
Rogalewicz, F., 439
Ruttink, P.J.A., 453
Ryzhov, V., 111

Schröder, D., 121
Schwarz, H., 121
Schweikhard, L., 87
Seiersen, K., 273
Sena, M., 135, 315
Serafin, S.V., 175
Song, K., 315
Styles, M.L., 47
Sun, L., 315
Sunderlin, L.S., 361

Takao, K., 391
Terlouw, J.K., 453
Thissen, R., 373
Torres-Negrón de Jeanville, I., 247
Turco, F., 235
Tureček, F., 327

Underwood, N.J., 223

Vaglio, G.A., 235
Vierezet, D., 479

doi:10.1016/S1387-3806(03)00280-X

Viggiano, A.A., 413
Vogel, M., 87

Welford Castleman Jr., A., 577
Wenthold, P.G., 303
Wesdemiotis, C., 191, 509
Wisniewski, E.S., 577
Wollnik, H., 217

Yamabe, S., 391
Yáñez, M., 401
Yoon, S.H., 21

Zhan, C.-G., 421
Zhang, K., 175

ELSEVIER

International Journal of Mass Spectrometry 227 (2003) 619–625

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 227

Ab initio calculations
Sequential bond energies of $Pt^+(NH_3)_x$ ($x = 1$–4) determined by collision-induced dissociation and theory, 47
The gas and solution phase acidities of HNO, HOONO, HONO, and $HONO_2$, 421
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453
Aerosol
Abiotic synthesis of ATP from AMP in the gas phase: implications for the origin of biologically important molecules from small molecular clusters, 147
Ag_n^+
Dissociation energies of silver clusters Ag_n^+, $n = 14$, 15, 16, 18, 87
Agnostic interactions
Binding energies of Cu^+ to saturated and α,β-unsaturated alkanes, silanes and germanes. The role of agostic interactions, 401
Alkali metal
Alkali metal binding energies of dibenzo-18-crown-6: experimental and computational results, 63
Alkali metal ions
Cation-π interactions with a model for an extended π network. Absolute binding energies of alkali metal cation–naphthalene complexes determined by threshold collision-induced dissociation and theoretical studies, 1
Influence of substituents on cation-π interactions. 3. Absolute binding energies of alkali metal cation–aniline complexes determined by threshold collision-induced dissociation and theoretical studies, 339
Amino acids
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. IV. Solvent effect on the structure of electrosprayed ions, 439
The Na^+ affinities of α-amino acids: side-chain substituent effects, 509
API/MS
The effect of liquid chromatography eluents and additives on the positive ion responses of cocaine, benzoylecgonine, and ecgonine methyl ester using electrospray ionization, 247
ATP
Abiotic synthesis of ATP from AMP in the gas phase: implications for the origin of biologically important molecules from small molecular clusters, 147
Basicity
The proton affinity scale, and effects of ion structure and solvation, 525
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
Benzene
Kinetics and thermodynamics for the bonding of benzene to 20 main-group atomic cations: formation of half-sandwiches, full-sandwiches and beyond, 563
Benzoylecgonine
The effect of liquid chromatography eluents and additives on the positive ion responses of cocaine, benzoylecgonine, and ecgonine methyl ester using electrospray ionization, 247
Bidentate bases
Application of the kinetic method to bifunctional bases. MIKE and CID-MIKE test cases, 479
Blackbody-induced dissociation
Dissociation of *p*-cymene molecular ions induced by thermal radiation, 135
Bond dissociation energies
Cation-π interactions with a model for an extended π network. Absolute binding energies of alkali metal cation–naphthalene complexes determined by threshold collision-induced dissociation and theoretical studies, 1
Influence of substituents on cation-π interactions. 3. Absolute binding energies of alkali metal cation–aniline complexes determined by threshold collision-induced dissociation and theoretical studies, 339
Bond energies
Guided ion beam studies of transition metal–ligand thermochemistry, 289
Bond strength
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
Branching ratios
Branching ratios for the dissociative recombination of hydrocarbon ions. I: The cases of $C_4H_9^+$ and $C_4H_5^+$, 273

Calculation
Proton affinity of some radicals of alcohols, ethers and amines, 373
Gas phase basicity of silanaldehydes and silanones, 381
Capping agents
3-Dimensional structural characterization of cationized polyhedral oligomeric silsesquioxanes (POSS) with styryl and phenylethyl capping agents, 205

doi:10.1016/S1387-3806(03)00281-1

Catalysis
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453
Cation-π interactions
Cation-π interactions with a model for an extended π network. Absolute binding energies of alkali metal cation–naphthalene complexes determined by threshold collision-induced dissociation and theoretical studies, 1
Influence of substituents on cation-π interactions. 3. Absolute binding energies of alkali metal cation−aniline complexes determined by threshold collision-induced dissociation and theoretical studies, 339
CBS-QB3
Tautomerization and dissociation of ethylene phosphonate ions $[-OCH_2CH_2O-]P(H)=O^{\bullet+}$: an experimental and CBS-QB3 computational study, 453
4-Center transition state
Stereochemical analysis of deuterated alkyl chains by charge-remote fragmentations of protonated parent ions, 175
Charge solvation
The Na^+ affinities of α-amino acids: side-chain substituent effects, 509
Chiroselective octamer of serine
An electrospray ionization-flow tube study of H/D exchange in the protonated serine dimer and protonated serine dipeptide, 77
Chloro-substitution effects
How does chlorine substitution on acetonitrile affect the internal S_N2 isomerization of proton-bound pairs $(ClCH_2CN)(ROH)H^+$ ($R = CH_3$, C_2H_5, C_3H_7)?, 471
CID
Gas-phase ion chemistry and ion thermochemistry of phenyltrifluorosilane, 303
New measurements of the thermochemistry of SF_5^- and SF_6^-, 361
Cluster ion
Thermochemical stabilities of the gas-phase cluster ions $H_3C^+(N_2)_n$, 391
How does chlorine substitution on acetonitrile affect the internal S_N2 isomerization of proton-bound pairs $(ClCH_2CN)(ROH)H^+$ ($R = CH_3$, C_2H_5, C_3H_7)?, 471
Clusters
Guided ion beam studies of transition metal–ligand thermochemistry, 289
Comparison of methyl and hydroxyl protons generated in a Coulomb explosion event: application of a time-of-flight gating technique to methanol clusters, 577
CO
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161
Cocaine
The effect of liquid chromatography eluents and additives on the positive ion responses of cocaine, benzoylecgonine, and ecgonine methyl ester using electrospray ionization, 247
Collision-induced dissociation
Cation-π interactions with a model for an extended π network. Absolute binding energies of alkali metal cation–naphthalene complexes determined by threshold collision-induced dissociation and theoretical studies, 1
Sequential bond energies of $Pt^+(NH_3)_x$ ($x = 1$–4) determined by collision-induced dissociation and theory, 47
Binding of metalloporphyrins to model nitrogen bases: collision-induced dissociation and ion–molecule reaction studies, 111
Influence of substituents on cation-π interactions. 3. Absolute binding energies of alkali metal cation−aniline complexes determined by threshold collision-induced dissociation and theoretical studies, 339
Condensation reaction
Condensation reaction vs. ligand exchange with first-row transition metal cations: a theoretical study of Cu^+ heteroleptic model complexes, 587
Coulomb explosion
Comparison of methyl and hydroxyl protons generated in a Coulomb explosion event: application of a time-of-flight gating technique to methanol clusters, 577
Covalent bonds
Guided ion beam studies of transition metal–ligand thermochemistry, 289
Crown ether
Alkali metal binding energies of dibenzo-18-crown-6: experimental and computational results, 63
Cu^+
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161
Cu^+ affinities
Binding energies of Cu^+ to saturated and α,β-unsaturated alkanes, silanes and germanes. The role of agostic interactions, 401
p-Cymene molecular ion
Dissociation of *p*-cymene molecular ions induced by thermal radiation, 135

Density functional theory
Stereochemical analysis of deuterated alkyl chains by charge-remote fragmentations of protonated parent ions, 175
2,5-DHB
Temperature dependence of dissociative electron attachment to molecules of gentisic acid, hydroquinone and *p*-benzoquinone, 281
1,3,2-Dioxaphospholane
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453
Dissociation energy
Dissociation energies of silver clusters Ag_n^+, $n = 14$, 15, 16, 18, 87
Dissociation of *p*-cymene molecular ions induced by thermal radiation, 135
Dissociative attachment
Temperature dependencies of negative ions formation by capture of low-energy electrons for some typical MALDI matrices, 259
Temperature dependence of dissociative electron attachment to molecules of gentisic acid, hydroquinone and *p*-benzoquinone, 281

Dissociative recombination
Branching ratios for the dissociative recombination of hydrocarbon ions. I: The cases of $C_4H_9^+$ and $C_4H_5^+$, 273
Dissociative resonance structures
Stereochemical analysis of deuterated alkyl chains by charge-remote fragmentations of protonated parent ions, 175
Distonic ions
Proton affinity of some radicals of alcohols, ethers and amines, 373
Dynamical studies
Comparison of methyl and hydroxyl protons generated in a Coulomb explosion event: application of a time-of-flight gating technique to methanol clusters, 577
Dynamics
3-Dimensional structural characterization of cationized polyhedral oligomeric silsesquioxanes (POSS) with styryl and phenylethyl capping agents, 205

Ecgonine methyl ester
The effect of liquid chromatography eluents and additives on the positive ion responses of cocaine, benzoylecgonine, and ecgonine methyl ester using electrospray ionization, 247
Electron affinity
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
Electrospray
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. IV. Solvent effect on the structure of electrosprayed ions, 439
Energetic fragments
Comparison of methyl and hydroxyl protons generated in a Coulomb explosion event: application of a time-of-flight gating technique to methanol clusters, 577
Energetics
The proton affinity scale, and effects of ion structure and solvation, 525
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
Energy-resolved MS
Gas-phase ion chemistry and ion thermochemistry of phenyltrifluorosilane, 303
Enzymatic digestion
Probing the interactions of oxidized insulin chain A and metal ions using electrospray ionization mass spectrometry, 97
ESI
An electrospray ionization-flow tube study of H/D exchange in the protonated serine dimer and protonated serine dipeptide, 77

Femtosecond dynamics
Comparison of methyl and hydroxyl protons generated in a Coulomb explosion event: application of a time-of-flight gating technique to methanol clusters, 577
Flow tube
An electrospray ionization-flow tube study of H/D exchange in the protonated serine dimer and protonated serine dipeptide, 77
Flowing afterglow
New measurements of the thermochemistry of SF_5^- and SF_6^-, 361
Fluoride affinity
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
Franck–Condon effects
The use of kinetic isotope effects for the determination of internal energy distributions in isolated transient species in the gas phase, 327
Free electrons
Temperature dependencies of negative ions formation by capture of low-energy electrons for some typical MALDI matrices, 259
FT-ICR
Proton affinity of some radicals of alcohols, ethers and amines, 373

G2
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
G3
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
G2(MP2)
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
G3(MP2)
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
Gas basicity
Proton affinity of some radicals of alcohols, ethers and amines, 373
Gas phase basicity of silanaldehydes and silanones, 381
Gas phase
Alkali metal binding energies of dibenzo-18-crown-6: experimental and computational results, 63
Gas phase acidity
The gas and solution phase acidities of HNO, HOONO, HONO, and $HONO_2$, 421
Gas-phase acidities and sites of deprotonation of 2-ketones and structures of the corresponding enolates, 497
Gas phase basicity
Application of the kinetic method to bifunctional bases. MIKE and CID-MIKE test cases, 479
Gas-phase equilibria
Thermochemical stabilities of the gas-phase cluster ions $H_3C^+(N_2)_n$, 391
Gas-phase ion chemistry
Gas-phase ion chemistry and ion thermochemistry of phenyltrifluorosilane, 303
Guided ion beam
Cation-π interactions with a model for an extended π network. Absolute binding energies of alkali metal cation–naphthalene complexes determined by threshold collision-induced dissociation and theoretical studies, 1
Sequential bond energies of $Pt^+(NH_3)_x$ ($x = 1$–4) determined by collision-induced dissociation and theory, 47

Guided ion beam studies of transition metal–ligand thermochemistry, 289
Influence of substituents on cation-π interactions. 3. Absolute binding energies of alkali metal cation–aniline complexes determined by threshold collision-induced dissociation and theoretical studies, 339

H/D exchange
An electrospray ionization-flow tube study of H/D exchange in the protonated serine dimer and protonated serine dipeptide, 77
High pressure mass spectrometer
Thermochemical stabilities of the gas-phase cluster ions $H_3C^+(N_2)_n$, 391
HPMS
Gas-phase acidities and sites of deprotonation of 2-ketones and structures of the corresponding enolates, 497
Hybrid density functional theory
Competition between π- and σ-based interactions in metal ion complexes of the phenyl radical, 33
Hydrogen bonds
The proton affinity scale, and effects of ion structure and solvation, 525
The structure and energetics of $[B, C, F, H_3]^+$: quantum chemistry shows multiple minima, 555
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
Hydrogen bridges
The structure and energetics of $[B, C, F, H_3]^+$: quantum chemistry shows multiple minima, 555

ICP-SIFT
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161
Insulin chain A
Probing the interactions of oxidized insulin chain A and metal ions using electrospray ionization mass spectrometry, 97
Internal energy distribution functions
The use of kinetic isotope effects for the determination of internal energy distributions in isolated transient species in the gas phase, 327
Internal lysine residues
Selective cleavage at internal lysine residues in protonated vs. metalated peptides, 191
Ion clusters
Gas-phase ion chemistry in silane/propyne mixtures, 235
Ion solvation
The proton affinity scale, and effects of ion structure and solvation, 525
Ion thermochemistry
Gas-phase ion chemistry and ion thermochemistry of phenyltrifluorosilane, 303
Ion trap mass spectrometry
Gas-phase ion chemistry in silane/propyne mixtures, 235
Ion–dipole potential
Stationary points for the $OH^- + CH_3F \rightarrow CH_3OH + F^-$ potential energy surface, 315
Ionization energies
Thermochemistry of neutral and cationic iron hydroxides $Fe(OH)_n^{0/+}$ ($n = 1, 2$) in the gas phase, 121
Ion–ligand binding
Competition between π- and σ-based interactions in metal ion complexes of the phenyl radical, 33
Ion–molecule reactions
Binding of metalloporphyrins to model nitrogen bases: collision-induced dissociation and ion–molecule reaction studies, 111
Iron halides
Thermochemistry of neutral and cationic iron hydroxides $Fe(OH)_n^{0/+}$ ($n = 1, 2$) in the gas phase, 121
Iron hydroxides
Thermochemistry of neutral and cationic iron hydroxides $Fe(OH)_n^{0/+}$ ($n = 1, 2$) in the gas phase, 121
Isoelectronic species
The structure and energetics of $[B, C, F, H_3]^+$: quantum chemistry shows multiple minima, 555
Isomeric structures
The structure and energetics of $[B, C, F, H_3]^+$: quantum chemistry shows multiple minima, 555
Isomerization
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. IV. Solvent effect on the structure of electrosprayed ions, 439
Isomers
Branching ratios for the dissociative recombination of hydrocarbon ions. I: The cases of $C_4H_9^+$ and $C_4H_5^+$, 273

Keto–enol tautomerization
Stereochemical analysis of deuterated alkyl chains by charge-remote fragmentations of protonated parent ions, 175
2-Ketones
Gas-phase acidities and sites of deprotonation of 2-ketones and structures of the corresponding enolates, 497
Kinetic isotope effects
The use of kinetic isotope effects for the determination of internal energy distributions in isolated transient species in the gas phase, 327
Kinetic method
Gas phase basicity of silanaldehydes and silanones, 381
Application of the kinetic method to bifunctional bases. MIKE and CID-MIKE test cases, 479
The Na^+ affinities of α-amino acids: side-chain substituent effects, 509
Kinetics
Kinetics and thermodynamics for the bonding of benzene to 20 main-group atomic cations: formation of half-sandwiches, full-sandwiches and beyond, 563

LC
The effect of liquid chromatography eluents and additives on the positive ion responses of cocaine, benzoylecgonine, and ecgonine methyl ester using electrospray ionization, 247

Ligand exchange
Condensation reaction vs. ligand exchange with first-row transition metal cations: a theoretical study of Cu^+ heteroleptic model complexes, 587
Ligation
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161
Kinetics and thermodynamics for the bonding of benzene to 20 main-group atomic cations: formation of half-sandwiches, full-sandwiches and beyond, 563
Long-lived excited state
Anisotropic photodissociation of vinyl chloride molecular cation in the ground and first excited electronic states, 21

Main-group atomic cations
Kinetics and thermodynamics for the bonding of benzene to 20 main-group atomic cations: formation of half-sandwiches, full-sandwiches and beyond, 563
Main-group metal ions
Competition between π- and σ-based interactions in metal ion complexes of the phenyl radical, 33
MALDI
Temperature dependencies of negative ions formation by capture of low-energy electrons for some typical MALDI matrices, 259
Temperature dependence of dissociative electron attachment to molecules of gentisic acid, hydroquinone and *p*-benzoquinone, 281
Mass accuracy
An energy-isochronous multi-pass time-of-flight mass spectrometer consisting of two coaxial electrostatic mirrors, 217
Mass measurements
An energy-isochronous multi-pass time-of-flight mass spectrometer consisting of two coaxial electrostatic mirrors, 217
Mass spectrometry
Thermochemistry of neutral and cationic iron hydroxides $Fe(OH)_n^{0/+}$ ($n = 1, 2$) in the gas phase, 121
Master equation
Dissociation of *p*-cymene molecular ions induced by thermal radiation, 135
Metalated complexes
Probing the interactions of oxidized insulin chain A and metal ions using electrospray ionization mass spectrometry, 97
Metalated peptides
Selective cleavage at internal lysine residues in protonated vs. metalated peptides, 191
Metal–ligand complexes
Sequential bond energies of $Pt^+(NH_3)_x$ ($x = 1$–4) determined by collision-induced dissociation and theory, 47
Metalloporphyrin–ligand binding
Binding of metalloporphyrins to model nitrogen bases: collision-induced dissociation and ion–molecule reaction studies, 111
Metalloporphyrins
Binding of metalloporphyrins to model nitrogen bases: collision-induced dissociation and ion–molecule reaction studies, 111
Metal–peptide interactions
Probing the interactions of oxidized insulin chain A and metal ions using electrospray ionization mass spectrometry, 97
MIKE spectrometry
Anisotropic photodissociation of vinyl chloride molecular cation in the ground and first excited electronic states, 21

Negative ions
Temperature dependencies of negative ions formation by capture of low-energy electrons for some typical MALDI matrices, 259
Temperature dependence of dissociative electron attachment to molecules of gentisic acid, hydroquinone and *p*-benzoquinone, 281
Neutralization–reionization mass spectrometry
The use of kinetic isotope effects for the determination of internal energy distributions in isolated transient species in the gas phase, 327
Ni^+
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161
Noncovalent bonds
Guided ion beam studies of transition metal–ligand thermochemistry, 289

O_2
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161
Organoborane halide
The structure and energetics of $[B, C, F, H_3]^+$: quantum chemistry shows multiple minima, 555
Origin of life
Abiotic synthesis of ATP from AMP in the gas phase: implications for the origin of biologically important molecules from small molecular clusters, 147
2-Oxide
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453

Phenyl radical
Competition between π- and σ-based interactions in metal ion complexes of the phenyl radical, 33
Phenyltrifluorosilane
Gas-phase ion chemistry and ion thermochemistry of phenyltrifluorosilane, 303
Phosphate
Abiotic synthesis of ATP from AMP in the gas phase: implications for the origin of biologically important molecules from small molecular clusters, 147
Phosphonate/phosphite tautomerism
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453

Photodissociation
Anisotropic photodissociation of vinyl chloride molecular cation in the ground and first excited electronic states, 21
Potential energy surface
Stationary points for the $OH^- + CH_3F \rightarrow CH_3OH + F^-$ potential energy surface, 315
Propyne
Gas-phase ion chemistry in silane/propyne mixtures, 235
Proteins
Studies into the selective accumulation of multiply charged protein ions in a quadrupole ion trap mass spectrometer, 223
Proton affinity
Proton affinity of some radicals of alcohols, ethers and amines, 373
Gas phase basicity of silanaldehydes and silanones, 381
Application of the kinetic method to bifunctional bases. MIKE and CID-MIKE test cases, 479
The proton affinity scale, and effects of ion structure and solvation, 525
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
Protonated peptides
Selective cleavage at internal lysine residues in protonated vs. metalated peptides, 191
Protonated serine dimer
An electrospray ionization-flow tube study of H/D exchange in the protonated serine dimer and protonated serine dipeptide, 77
Proton-bound dimer
Gas phase basicity of silanaldehydes and silanones, 381
$Pt^+(NH_3)_x$
Sequential bond energies of $Pt^+(NH_3)_x$ ($x = 1$–4) determined by collision-induced dissociation and theory, 47
Pyrrole
Gas-phase kinetic measurements and quantum chemical calculations of the ligation of Ni^+, Cu^+, $Ni^+(pyrrole)_{1,2}$ and $Cu^+(pyrrole)_{1,2}$ with O_2 and CO, 161

QCISD(T)
The structure and energetics of $[B, C, F, H_3]^+$: quantum chemistry shows multiple minima, 555
Quadrupole ion trap mass spectrometry
Studies into the selective accumulation of multiply charged protein ions in a quadrupole ion trap mass spectrometer, 223
Quid-pro-quo
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453

Reactivity of vinylsilanes and germanes
Binding energies of Cu^+ to saturated and α,β-unsaturated alkanes, silanes and germanes. The role of agostic interactions, 401
Reflectron
3-Dimensional structural characterization of cationized polyhedral oligomeric silsesquioxanes (POSS) with styryl and phenylethyl capping agents, 205
RRKM calculations
The use of kinetic isotope effects for the determination of internal energy distributions in isolated transient species in the gas phase, 327

Salt bridge
Abiotic synthesis of ATP from AMP in the gas phase: implications for the origin of biologically important molecules from small molecular clusters, 147
The Na^+ affinities of α-amino acids: side-chain substituent effects, 509
Selective accumulation
Studies into the selective accumulation of multiply charged protein ions in a quadrupole ion trap mass spectrometer, 223
Selective cleavage C-terminal to lysine
Selective cleavage at internal lysine residues in protonated vs. metalated peptides, 191
Sequential bond energies
Sequential bond energies of $Pt^+(NH_3)_x$ ($x = 1$–4) determined by collision-induced dissociation and theory, 47
SF_5^-
New measurements of the thermochemistry of SF_5^- and SF_6^-, 361
SF_6^-
New measurements of the thermochemistry of SF_5^- and SF_6^-, 361
SF
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_2
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_2^-
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_3
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_3^-
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_4
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_4^-
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_5
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_5^-
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF_6
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413

SF_6^-
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
SF^-
G3 and G2 thermochemistry of sulfur fluoride neutrals and anions, 413
Silanaldehydes
Gas phase basicity of silanaldehydes and silanones, 381
Silane
Gas-phase ion chemistry in silane/propyne mixtures, 235
Silanones
Gas phase basicity of silanaldehydes and silanones, 381
Silver clusters
Dissociation energies of silver clusters Ag_n^+, $n = 14, 15, 16, 18, 87$
S_N2 reactions
Stationary points for the $OH^- + CH_3F \rightarrow CH_3OH + F^-$ potential energy surface, 315
Sodium ion affinities
The Na^+ affinities of α-amino acids: side-chain substituent effects, 509
Solvation effects
The gas and solution phase acidities of HNO, HOONO, HONO, and $HONO_2$, 421
Solvent effects
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. IV. Solvent effect on the structure of electrosprayed ions, 439
Structural effects
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
Substituent effects
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
SWIFT
Studies into the selective accumulation of multiply charged protein ions in a quadrupole ion trap mass spectrometer, 223

Tandem mass spectrometry
Probing the interactions of oxidized insulin chain A and metal ions using electrospray ionization mass spectrometry, 97
Tautomerization and dissociation of ethylene phosphonate ions $[OCH_2CH_2O]P(H)O^+$: an experimental and CBS-QB3 computational study, 453
How does chlorine substitution on acetonitrile affect the internal S_N2 isomerization of proton-bound pairs $(ClCH_2CN)(ROH)H^+$ ($R = CH_3$, C_2H_5, C_3H_7)?, 471
Thermochemistry
Guided ion beam studies of transition metal–ligand thermochemistry, 289
New measurements of the thermochemistry of SF_5^- and SF_6^-, 361
The proton affinity scale, and effects of ion structure and solvation, 525
Proton affinities and gas-phase basicities: theoretical methods and structural effects, 601
Thermodynamics
Kinetics and thermodynamics for the bonding of benzene to 20 main-group atomic cations: formation of half-sandwiches, full-sandwiches and beyond, 563
Time-of-flight mass spectrometer
An energy-isochronous multi-pass time-of-flight mass spectrometer consisting of two coaxial electrostatic mirrors, 217
Transition metal
Condensation reaction vs. ligand exchange with first-row transition metal cations: a theoretical study of Cu^+ heteroleptic model complexes, 587
Transition metal ions
Guided ion beam studies of transition metal–ligand thermochemistry, 289

Unimolecular reactions
How does chlorine substitution on acetonitrile affect the internal S_N2 isomerization of proton-bound pairs $(ClCH_2CN)(ROH)H^+$ ($R = CH_3$, C_2H_5, C_3H_7)?, 471

Vicinal elimination
Stereochemical analysis of deuterated alkyl chains by charge-remote fragmentations of protonated parent ions, 175
Vinyl chloride ion
Anisotropic photodissociation of vinyl chloride molecular cation in the ground and first excited electronic states, 21
VUV photoionisation
Proton affinity of some radicals of alcohols, ethers and amines, 373

Zinc
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. IV. Solvent effect on the structure of electrosprayed ions, 439
Zwitterion
Stereochemical analysis of deuterated alkyl chains by charge-remote fragmentations of protonated parent ions, 175